

1. IDENTIFICATION

Product Name	moly Grease EP2
Other Names	No Data Available
Uses	As an Industrial Lubricant
Chemical Family	No Data Available
Chemical Formula	No Data Available
Chemical Name	moly Grease EP2
Product Description	black multi purpose grease

Contact Details of the Supplier of this Safety Data Sheet

Organisation

Name Ausfield Lubricants

Address 36 Mickle st Dandenong Sth 3175

Phone: 97683532

Fax: 97683534

Email: ausfieldlubricants@bigpond.net.au

Emergency Contact Details

For emergencies only; DO NOT contact these companies for general product advice.

Organisation	Telephone
Poisons Information Centre	131126
Chemcall	1800-127406 (+64-4-9179888)

1. HAZARD IDENTIFICATION

Poisons Schedule (Aust) Not scheduled

Globally Harmonised System

Hazard Classification Hazardous according to the criteria of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS)

Hazard Categories Long-term Hazard To The Aquatic Environment - Category 3



Pictograms

Signal Word Warning

Hazard Statements H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements

Prevention P273 Avoid release to the environment.

Disposal P501 Dispose of contents/container in accordance with Local / regional / national /international regulations.

National Transport Commission (Australia)

Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification

NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Extinguishing Media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
Fire and Explosion Hazard	Combustible solid > 250 Deg C.
Hazardous Products of Combustion	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Special Fire Fighting Instructions	Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves).
Flash Point	>250 Degrees C
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	No Data Available

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Avoid accidents, clean up immediately. May be slippery when spilt. Eliminate all sources of ignition. Increase ventilation. Avoid generating dust. Stop leak if safe to do so. Isolate the danger area. Use clean, non-sparking tools and equipment.
Clean Up Procedures	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains.

Containment	Stop leak if safe to do so. Isolate the danger area.
Environmental Precautionary Measures	Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management
Evacuation Criteria	Evacuate all unnecessary personnel.
Personal Precautionary Measures	Personnel involved in the clean-up should wear full protective clothing as listed in section 8.

7. HANDLING AND STORAGE

Handling	Avoid direct contact with the substance. Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product dust/fumes.
Storage	Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Protect from direct sunlight, moisture and static discharges. This product is not classified dangerous for transport according to The Australian Code for the Transport of Dangerous Goods By Road and Rail
Container	Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General	<p>2-butoxyethanol :</p> <p>Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³</p> <p>Short-term exposure limit (15-minute): WEL 50 ppm 246 mg/m³</p> <p>potassium hydroxide :</p> <p>Short-term exposure limit (15-minute): WEL 2 mg/m³</p> <p>WEL = Workplace Exposure Limit</p> <p>Sk = Can be absorbed through the skin</p>
---------	---

Exposure Limits	No Data Available
Biological Limits	No information available on biological limit values for this product.
Engineering Measures	A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area. Adequate ventilation should be provided so that exposure limits are not exceeded.
Personal Protection Equipment	RESPIRATOR: Wear a P1 or P2 particulate respirator when handling this product (AS1715/1716). EYES: Safety glasses with side shields (AS1336/1337). HANDS: Neoprene gloves (AS2161). CLOTHING: Long-sleeved protective coveralls and safety footwear (AS3765/2210).
Work Hygienic Practices	No Data Available

9. PHYSICAL AND CHEMICAL PROPOERTIES

Physical State	Liquid
Appearance	Grease
Odour	Almost odourless
Colour	Black
pH	No Data Available
Vapour Pressure	No Data Available
Relative Vapour Density	No Data Available
Boiling Point	No Data Available
Melting Point	>250 Degrees C
Freezing Point	No Data Available
Solubility	Soluble in oil - Insoluble in water
Specific Gravity	No Data Available
Flash Point	>250 Degrees C
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available

Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	No Data Available
Potential for Dust Explosion	No Data Available
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	No Data Available
Release of Invisible Flammable Vapours and Gases	No Data Available

10. STABILITY AND REACTIVITY

General Information	There are no known reactivity hazards associated with this product.
Chemical Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Conditions to Avoid	There are no known conditions that are likely to result in a hazardous situation.
Materials to Avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
Hazardous Decomposition	Products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Hazardous Polymerisation	Has not been reported.

11. TOXICOLOGICAL INFORMATION

General Information	Acute toxicity - oral, ATE oral (mg/kg) 3,900.15600624 Carcinogenicity Based on available data the classification criteria are not met. Aspiration hazard Not relevant. Solid.
Eye Irritant	No specific symptoms known. May be slightly irritating to eyes.
Skin Irritant	Prolonged contact may cause dryness of the skin.
Inhalation	No specific symptoms known.
Ingestion	No specific symptoms known.
Carcinogen Category	No Data Available

12. ECOLOGICAL INFORMATION

Ecotoxicity	Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.
-------------	---

Persistence/Degradability	The degradability of the product is not known.
Mobility	Non-volatile. The product is poorly absorbed onto soils or sediments.
Environmental Fate	Do NOT let product reach waterways, drains and sewers.
Bioaccumulation Potential	No data available on bioaccumulation.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice. Incinerate at an approved site following all local regulations. This material may be suitable for approved landfill

14. TRANSPORT INFORMATION

Land Transport (Australia) ADG

Proper Shipping Name	moly Grease EP2
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

Sea Transport IMDG

Proper Shipping Name	moly Grease EP2
Class	No Data Available

Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available
EMS	No Data Available
Marine Pollutant	No

Air Transport
IATA

Proper Shipping Name	Black Grease EP2
Class	No Data Available
Subsidiary Risk(s)	No Data Available
UN Number	No Data Available
Hazchem	No Data Available
Pack Group	No Data Available
Special Provision	No Data Available

National Transport Commission (Australia)
Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)

Dangerous Goods Classification	NOT Dangerous Goods according to the criteria of the Australian Code for the Transport of Dangerous Goods by Road & Rail (ADG Code)
--------------------------------	---

15. REGULATORY INFORMATION

No Data Available

General Information Poisons Schedule (Aust)	Not scheduled
--	---------------

National/Regional Inventories

Australia (AICS)	Listed
Canada (DSL)	Not Determined
Canada (NDSL)	Not Determined
China (IECSC)	Not Determined
Europe (EINECS)	Not Determined
Europe (REACH)	Not Determined
Japan (ENCS/METI)	Not Determined
Korea (KECI)	Not Determined
Malaysia (EHS Register)	Not Determined
New Zealand (NZIoC)	Not Determined
Philippines (PICCS)	Not Determined
Switzerland (Giftliste 1)	Not Determined
Switzerland (Inventory of Notified Substances)	Not Determined
Taiwan (NCSR)	Not Determined
USA (TSCA)	Not Determined

16. OTHER INFORMATION

Related Product Codes	
Revision	2
Revision Date	1 February 2023
Reason for Issue	New SDS
Key/Legend	<Less Than >Greater Than AICS Australian Inventory of Chemical Substances atm Atmosphere CAS Chemical Abstracts Service (Registry Number) cm ² Square Centimetres CO ₂ Carbon Dioxide COD Chemical Oxygen Demand

Key/Legend (Continued)

Deg C (°C) Degrees Celcius
EPA (New Zealand) Environmental Protection Authority of NZ
Deg F (°F) Degrees Farenheit
g Grams
g/cm³ Grams per Cubic Centimetre
g/l Grams per Litre
HSNO Hazardous Substance and New Organism
IDLH Immediately Dangerous to Life and Health
immiscible Liquids are insoluable in each other.
inHg Inch of Mercury
inH₂O Inch of Water
K Kelvin
kg Kilogram
kg/m³ Kilograms per Cubic Metre
lb Pound
LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.
LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.
ltr or L Litre
m³ Cubic Metre mbar Millibar mg Milligram
mg/24H Milligrams per 24 Hours mg/kg Milligrams per Kilogram
mg/m³ Milligrams per Cubic Metre
Misc or Miscible Liquids form one homogeneous liquid phase regardless of the amount of either component present.
mm Millimetre
mmH₂O Millimetres of Water
mPa.s Millipascals per Second
N/A Not Applicable
NIOSH National Institute for Occupational Safety and Health
NOHSC National Occupational Heath and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours

Key/Legend (Continued)

psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure

STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight

---END OF SDS---